Automated Parking Barrier Gate Security Advertising Barrier Gate Flap Lifting

Basic Information

Place of Origin: China
Brand Name: CBG
Model Number: 18B
Minimum Order Quantity: 1

Price: 400-450USD
Delivery Time: 5-8days
Payment Terms: L/C, T/T

• Supply Ability: 20,000 peices each month



Product Specification

Warranty: 2 YearsVoltage: DC24VInslation Class: F

• Operation Lifetime: >=5 Million Times

Output Power: 120W
Feature: Durable
Color: Optional
Altitude: 1000M Or Lower

• Highlight: Automated Parking Barrier Gate,

Security Advertising Barrier Gate, Flap Lifting Parking Barrier Gate



Product Description

18B Fully Automated Parking System Barrier Gate Security Advertising Barrier Gate Heavy-Duty Flap Lifting Barrier

Company Profile

Shenzhen Chengbang Mechanical and Electrical Industry Co., Ltd. was established in 2010, located in Guangdong China. The factory with 50,000 square meter areas and more than 50 experienced employees which supply ability is 2000pcs per month. We are the professional manufacturer for vehicle entrance management system and equipment (Swinging door operating mechanism, Brush-less gate motor, DC brush-less single unit operating mechanism, Commercial gate operating mechanism and so on). We have strong scientific technology, first-class produced lines, advanced gear testing centers and high-precision advanced equipment, imported CNC gears which are ahead of our peers in terms of quality. In pursuit of high quality products, excellent reputation, continuous innovation and development and perfect after-care service, we d launched a series of diversified products.

Production Profile



CBG[®]



CBG[®]




CBG[®]



CBG[®]











Application Place









Specification

Flap Size:93*780 MM	Motor:18B	Voltage/Current/Efficiency:DC24V/10A/140W
Light Case Size:460*900 MM		Insulation Class:F
LED Power/Current:12V/5A		Gate Operation Time:0.3-6 S
Lift Speed:2.5-5 S		Operation Lifetime:>=5 million tiems
Remote Distance:>=30 M		Temperature Range:-30°C to +60°C
Operation:Remote Control,Manual Operation,Keypress		Altitude: 1000M or lower

CB ■ Shenzhen Chengbang Electromechancal Industry Limited







Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City