




## AC Flap Barrier Gate For Parking Lot Office Hospital And Community

Our Product Introduction

for more products please visit us on [automaticbarriersgates.com](http://automaticbarriersgates.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 17A-2
- Minimum Order Quantity: 2 pieces
- Price: \$219.00/pieces 2-99 pieces



### Product Specification

- Voltage: AC200V-240V
- Output Efficiency: 180W/250W
- Motor Series: 4P
- Frequency: 50/60Hz
- Current: 1.5A/2.1A
- Insulation Class: F
- Gate Operation Time: 3-9S
- Operation Lifetime: >=5million Times
- Temperature Range: -30°C To 70°C
- Humidity: 85% Or Lower
- Highlight: **AC Flap Barrier Gate,  
Parking Lot Flap Barrier Gate,  
Hospital Flap Barrier Gate**



### More Images



## Product Description

AC Flap Barrier Gate High Output Efficiency For Parking Lot Office Hospital And Community


### Product Description

#### Function

Worm gear is one of the core components of gate system, its performance directly affects the whole performance of barrier gate. In the actual operation, the stability and reliability of worm gear are very important to ensure the normal operation of the road brake system. In addition, with the continuous upgrading and intellectualization of traffic management, the requirements for road brake systems are becoming higher and higher, and the performance of worm gear needs to be continuously improved to meet new needs.

The application of worm gear in gate system is of great significance. The characteristics of deceleration and torsion increase make the brake lever to achieve smooth lifting, improve the stability and reliability of the system. At the same time, the high reliability and easy maintenance of worm gear also reduce the maintenance cost of gate system. With the continuous upgrading and intellectualization of traffic management, the performance of worm gear will continue to be improved, providing more high-quality and efficient services for modern traffic management.





## Specification



### Product Parameters

Voltage: AC200V-240V  
 Output Efficiency: 180W/250W  
 Motor Series: 4P  
 Frequency: 50/60Hz  
 Current: 1.5A/2.1  
 Insulation Class: F  
 Gate Operation Time: 3~9S  
 Operation Lifetime: ≥ 5 million times

### Working Environment

Temperature Range: -30°C~+70 °C  
 [-22°F~+158 °F]  
 Humidity: 85% or lower  
 Altitude: 1000M or lower

### Applications

Generally suited for controlling commercial pathway gates, cantilever gates and other high traffic zone gates.


## Details Images

## 17A unit motor details




### Functions & Features

CBG



### Packing & Delivery







To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

## Company Profile

---



Shenzhen Chengbang Electromechanical Industry Limited is a manufacturer specializing in the production of non-standard reducers and motors for road gates, gear reduction machines, aluminum shell motors and gate motors. We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We can customize according to customer needs.

## Factory View

---



Visit Factory

---



## FAQ

### 1. who are we?

We are based in Guangdong, China, start from 2010, sell to Africa (2.00%). There are total about 101-200 people in our office.

### 2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final inspection before shipment;

### 3. what can you buy from us?

boom barrier, DC motor, gate road motor, car park barrier

### 4. why should you buy from us not from other suppliers?

We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We have professional equipment, assembly line production and quality assurance. We can customize according to customer needs.

### 5. what services can we provide?

Accepted Delivery Terms: FOB, EXW

Accepted Payment Currency: USD, EUR;

Accepted Payment Type: T/T, PayPal, Cash;

Language Spoken: English, Chinese

 +8615017905059     mok\_1szcb\_cbg@163.com     automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City