



## Face Type Parking Gate Barrier 140W Power Supply With 5 Million Operating Life

Our Product Introduction

for more products please visit us on [automaticbarriersgates.com](http://automaticbarriersgates.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 18B-ZY
- Minimum Order Quantity: 2 pieces
- Price: \$360.00/pieces 2-99 pieces




### Product Specification

- Working Temperature: -30-60°C
- Power Supply: 140W
- Usage: Outdoor
- Boom Barrier Length: 1.5-6M
- Work Voltage: DC-24V
- Feature: Waterproof
- Operating Speed: 0.3-6s(Depend On Arm Length)
- Insulation Level: F
- Operating Life: >5 Million
- Warranty: 2 Years
- Highlight: Face Type Parking Gate Barrier,  
140W Parking Gate Barrier,  
5 Million Operating Life Gate Barrier



### More Images



## Product Description

### Face Type Parking Gate Barrier With 5 Million Operating Life And 140W Power Supply

#### Product Description

##### Overview

#### Company Profile

#### Product description

A boom barrier is designed for a range of max opening up to 6m. It is ideal solution for controlling vehicle traffic in parking lots, private entrances, industrial and public uses.

As a manufacturer, we have more than 10 year experiences on designing, producing and installing boom barriers. We have good quality control, so we vigorously test our boom barriers to make sure a longer life span.

Model	Power	Voltage	Current	RPM	Lift&down	Output Torque	Insulation Class	Protect Class
18B-0.3S	140W	DC24V	6A	1500	0.3-0.8Sec.	1.5kgf.m	F	IP44
18B-0.6S	140W	DC24V	6A	1500	0.6-1.5Sec.	3kgf.m	F	IP44
18B-1.2S	140W	DC24V	6A	1500	1.2-3.0Sec.	5.9kgf.m	F	IP44
18B-2.5S	140W	DC24V	6A	1500	2.5-6.0Sec.	11.8kgf.m	F	IP44

#### Parameters



#### Technical Parameters

Power supply	DC 24V
Open/close speed	0.3s to 6s
Working temperature	-30~60°C
Rated power	140w
Motor rated speed	1500r/min
Humidity	<=85%
Remote control distance	30 m
Max boom length	6m
External power	220V 50/60HZ

#### Product picture





1. Straight rod




2. Telescopic rod




3. Folding rod



4. Fence







## Automatic Boom Barrier

 Quiet and steady on opening and closing.

Durable, Cute Appearance







## Parking Barrier Gate



Easy Operation, Quiet, Steady



interior structure:



Big torque motor  
**Collision resistant motor**  
**Toll station motor**



**MCBF more 5 million times**

**Fast response**

Packing & Delivery

### The packaging of 18B unit motor




1.Put polyurethane foam inside



2.Cover with plastic and put the motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

**Boom barrier projects**



Exhibition



Certification



**CBG<sup>®</sup> Shenzhen Chengbang Electromechanical Industry Limited**

+8615017905059    mok\_1s2cb\_cbg@163.com    automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City