



## Gate Operation Time 3-9S Electric Toll Barrier Gate Motor AC220v

Our Product Introduction

for more products please visit us on [automaticbarriersgates.com](http://automaticbarriersgates.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 17A-4
- Minimum Order Quantity: 2 pieces
- Price: \$219.00/pieces 2-99 pieces




Voltage: AC200V-240V  
 Output Efficiency: 180W/250W  
 Motor Series: 4P  
 Frequency: 50/60Hz  
 Current: 1.5A/2.1A  
 Insulation Class: F  
 Gate Operation Time: 3-9s  
 Operation Lifetime: ≥5 million times  
 Temperature Range: -30°C~+70°C  
 [-22°F~+158°F]  
 Humidity: 85% or lower  
 Altitude: 1000M or lower  
 Generally suited for controlling commercial  
 pathway gates, cantilever gates and other  
 high traffic zone gates other high traffic  
 zone gates

### Product Specification

- Voltage: AC200V-240V
- Output Efficiency: 180W/250W
- Motor Series: 4P
- Frequency: 50/60Hz
- Current: 1.5A/2.1A
- Insulation Class: F
- Gate Operation Time: 3-9S
- Operation Lifetime: ≥5million Times
- Temperature Range: -30°C To 70°C
- Humidity: 85% Or Lower
- Highlight: Toll Barrier Gate Motor AC220v,  
9S Barrier Gate Motor,  
Electric Toll Barrier Gate Motor



### More Images



## Product Description


Gate Operation Time 3-9S Electric Toll Gate Operating Mechanism With High Power AC220v

### Product Description

#### Specification

Model	17A
Boom type	straight/fence/folding/advertising
Arm length	2-6m (depend on the speed and mechanisms stype)
remote control distance	>30m
Parking Gate Voltage	AC220V 10%50HZ
IP	IP55
Material	Aluminum
Operating time	3,5,7S





## Specification



### Product Parameters

Voltage: AC200V-240V  
 Output Efficiency: 180W/250W  
 Motor Series: 4P  
 Frequency: 50/60Hz  
 Current: 1.5A/2.1  
 Insulation Class: F  
 Gate Operation Time: 3~9S  
 Operation Lifetime: ≥ 5 million times

### Working Environment

Temperature Range: -30°C~+70 °C  
 [-22°F~+158 °F]  
 Humidity: 85% or lower  
 Altitude: 1000M or lower

### Applications

Generally suited for controlling commercial pathway gates, cantilever gates and other high traffic zone gates.


## Details Images

## 17A unit motor details




### Functions & Features

CBG



### Packing & Delivery







To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

## Company Profile

---



Shenzhen Chengbang Electromechanical Industry Limited is a manufacturer specializing in the production of non-standard reducers and motors for road gates, gear reduction machines, aluminum shell motors and gate motors. We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We can customize according to customer needs.

## Factory View

---



Visit Factory

---



## FAQ

### 1. who are we?

We are based in Guangdong, China, start from 2010, sell to Africa (2.00%). There are total about 101-200 people in our office.

### 2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final inspection before shipment;

### 3. what can you buy from us?

boom barrier, DC motor, gate road motor, car park barrier

### 4. why should you buy from us not from other suppliers?

We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We have professional equipment, assembly line production and quality assurance. We can customize according to customer needs.

### 5. what services can we provide?

Accepted Delivery Terms: FOB, EXW

Accepted Payment Currency: USD, EUR;

Accepted Payment Type: T/T, PayPal, Cash;

Language Spoken: English, Chinese



+8615017905059



mok\_1szcb\_cbg@163.com



automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City