# Waterproof Arm Parking Barrier Gate Customizable With Smooth Speed Adjustment

#### **Basic Information**

Place of Origin: Guangdong, China

Brand Name: CBGModel Number: 18B-ZYMinimum Order Quantity: 2 pieces

Price: \$150.00/pieces 2-99 pieces



#### **Product Specification**

Working Temperature: -30-60°C
Power Supply: 140W
Usage: Outdoor
Boom Barrier Length: 1.5-6M
Work Voltage: DC-24V
Feature: Waterproof

• Operating Speed: 0.3-6s(Depend On Arm Length)

Insulation Level: F

Operating Life: >5 Million Warranty: 2 Years

• Highlight: Waterproof Arm Parking Barrier Gate,

Customizable Parking Barrier Gate, Smooth Speed Parking Barrier Gate



### More Images









#### **Product Description**

# Waterproof Arm Parking Barrier Gate With Smooth Speed Adjustment And Customizable Design

### **Product Description**

#### Overview

#### **Parameters**

- 1) Voltage:24V
- 2) Current:6A
- 3) Insulation Class:F
- 4) Output Efficiency:140W
- 5) Gate Operation Time:0.3-5S
- 6) Temperature Range:-40°C to +60°C[-40°F to +140°F]
- (Temperature below -20°C/-4°F require a heating element)
- 7) Humidity:85% or lower
- 8) Altitude:1000M or lower

## Company Profile

### Product description

- 1.-The traffic barrier is widely used for the facilities of parking, traffic or toll system.
- 2.-Arms can be chosen from 1.5 meters to 6 meters.
- 3.-This type of barrier could match with direct boom( pole), fold boom Or fence boom..
- 4. When power off, we can lift up the boom arm by hand directly
- 5.-All the process is soft without any noise and shaking.
- 6.-Housing color: yellow,red ,blue,black,white (optional)
- 8.-Boom arm direction can be chosen leftward to rightward.
- 8.-Auto warming up, suitable for cold environment.

#### **Parameters**



## **Technical Parameters**

Size 300\*250\*990mm

Power supply DC 24V

Open/close speed 0.3s to 6s

Working temperature -30~60°C

Rated power 140w

Motor rated speed 1500r/min

Humidity <=85%

Remote control

distance


30 m

Max boom length 6m


External power 220V 50/60HZ


### **Product picture**














#### interior structure:



Big torque motor Collision resistant motor

**Toll station motor** 

# MCBF more 5 million times

# **Fast response**

Packing & Delivery

# The packaging of 18B unit motor



1.Put polyurethane foam inside



Cover with plastic and put the motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

**Boom barrier projects** 





Visit factory









**Exhibition** 



Certification



















#### **FAQ**

FAQ1. who are we? We are based in Guangdong, China, start from 2010,sell to Africa(2.00%). There are total about 101-200 people in our office. 2. how can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment; 3.what can you buy from us? boom barrier,DC motor,gate road motor,car park barrier

4. Do you provide sample?

We can supply sample ,but the customer have to pay the sample cost and courier cost.

5. why should you buy from us not from other suppliers? We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We has professional equipment, assembly line production and quality assurance. We can customize according to customer needs. 6. what services can we provide? Accepted Delivery Terms: FOB,EXW Accepted Payment Currency: USD,EUR; Accepted Payment Type: T/T,PayPal,Cash;

# **CBG**® Shenzhen Chengbang Electromechancal Industry Limited

+8615017905059

mok\_1szcb\_cbg@163.com

automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City