



## 1000M Or Lower Altitude Automatic Flap Barrier Gate For Commercial Advertising

### Our Product Introduction

for more products please visit us on [automaticbarriersgates.com](http://automaticbarriersgates.com)

#### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 19A-ZYGG-2
- Minimum Order Quantity: 2 sets
- Price: \$880.00/sets 2-99 sets



Brush-less  
DC24V motor



24V15A  
Power supply



Brush-less DC  
control board




One set advertising gate's package included:

- |                            |                          |
|----------------------------|--------------------------|
| 1pcs advertising gate case | 1pcs 24V15A power supply |
| 1pcs 4.5M boom arm         | 1pcs control board       |
| 1pcs 24V motor             | 2pcs springs             |

#### Product Specification

- Voltage: DC24V
- Output Efficiency: 120W
- Current: 6A
- Insulation Class: F
- Gate Operation Time: 0.3-10S
- Operation Lifetime:  $\geq 5$  million Times
- Temperature Range:  $-35^{\circ}\text{C}$  To  $60^{\circ}\text{C}$
- Humidity: 90% Or Lower
- Altitude: 1000M Or Lower
- Highlight: **Automatic Flap Barrier Gate,  
Commercial Advertising Flap Barrier Gate,  
1000M Altitude Automatic Flap Barrier**



### Product Description

- **Emergency stop:** When the barrier is closing, if the emergency stop button is pressed, the barrier will stop immediately and the motor will reverse, ensuring the barrier is open.
- **Ground sense:** The barrier is equipped with a ground sense device. If the barrier is closed and the ground sense device is triggered, the barrier will not fall. After the ground sense signal is received, the barrier will automatically rise.
- **Ground sense anti-collision:** During the closing process, if the barrier encounters an obstacle, the barrier will not fall. After the ground sense signal is received, the barrier will automatically rise.
- **Anti-collision:** The barrier is equipped with an anti-collision device. If the barrier encounters an obstacle, the barrier will not fall. After the anti-collision signal is received, the barrier will automatically rise.

CBG<sup>®</sup>




CBG®



CBG®



CBG<sup>®</sup>





The max of boom length is 4.5M



Use with DC24V 19A motor







## Specification

Flap Size:93\*780 MM

Light Case Size:460\*900 MM

LED Power/Current:12V/5A

Lift Speed:2.5-5 S

Remote Distance:>=30 M

Operation:Remote Control,Manual  
Operation,Keypress

Motor:19  
A

Voltage/Current/Efficiency:DC24V/10A/15  
0W

Insulation Class:F


Gate Operation Time:0.3-10 S

Operation Lifetime:>=5 million tiems

Temperature Range:-30℃ to +60℃

Altitude: 1000M or lower

## Details Images



1. Advertising Gate


The max length is 4.5M.

The max length is 6M.
2. Straight Pole

The max length is 6M.
3. Foldable Pole


The max length is 6M.
4. Fence

The max length is 6M.



Size name	Aluminum length	A	B
The formula	L	L+160	L-296
	3000	3164	2704
	3630	3794	3334
	4260	4424	3964

Since the width of the flap is 90 mm the increase or decrease must be an integer multiple of 90 mm.



## Application





Parking lot



Company



Community



Police station



Office building




Station



Underground parking lot

## Functions & Features

CBG



## Packing & Delivery



Brush-less  
DC24V motor

24V15A  
Power supply

Brush-less DC  
control board



### One set advertising gate's package included:

1pcs advertising gate case

1pcs 4.5M boom arm

1pcs 24V motor

1pcs 24V15A power supply

1pcs control board

2pcs springs



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

## Company Profile

---



Shenzhen Chengbang Electromechanical Industry Limited is a manufacturer specializing in the production of non-standard reducers and motors for road gates, gear reduction machines, aluminum shell motors and gate motors. We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We can customize according to customer needs.

## Factory View

---





Visit Factory

---



## FAQ

### 1. who are we?

We are based in Guangdong, China, start from 2010, sell to Africa (2.00%). There are total about 101-200 people in our office.

### 2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final inspection before shipment;

### 3. what can you buy from us?

boom barrier, DC motor, gate road motor, car park barrier

### 4. why should you buy from us not from other suppliers?

We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We have professional equipment, assembly line production and quality assurance. We can customize according to customer needs.

### 5. what services can we provide?

Accepted Delivery Terms: FOB, EXW

Accepted Payment Currency: USD, EUR;

Accepted Payment Type: T/T, PayPal, Cash;

Language Spoken: English, Chinese

 +8615017905059    mok\_1szcb\_cbg@163.com    automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City