Insulation Level F 1.5-6M Straight Pole Boom Barrier Gate For Parking Lot

Basic Information

Place of Origin: Guangdong, China

Brand Name: CBG
Model Number: 18B-ZY
Minimum Order Quantity: 2 pieces

Price: \$360.00/pieces 2-99 pieces



Product Specification

Working Temperature: -30-60°C
Power Supply: 140W
Usage: Outdoor
Boom Barrier Length: 1.5-6M
Work Voltage: DC-24V
Feature: Waterproof

• Operating Speed: 0.3-6s(Depend On Arm Length)

• Insulation Level: F

Operating Life: >5 MillionWarranty: 2 Years

• Highlight: Straight Pole Boom Barrier Gate,

Insulation Level F Boom Barrier Gate, 6M Straight Pole Barrier Gate

The package of 18B unit motor





1.Put polyurethane foam inside

2.Cover with plastic and put the motoer into the carton



3.Seal the carton with the tape

Product Description

Insulation Level F 1.5-6M Straight Pole Boom Barrier Gate For Electric-Saving Parking Lot

Product Description

Overview

18B

This barrier gate offer a reliable and efficient method to ensure pedestrian are allowed access to each area of space.

The compact structure makes it simple to construct a multiple lane set-up while the variety housing colors allows you to match this parking barrier perfectly to your parking lot.

- The movement adopts side stick installation, which is convenient for installation and compact in structure.
- 2) When power off, we can lift up the boom arm by hand directly
- 3)The main body of the movement is made of aluminum alloy, which is made by die-casting process, with reliable mechanical strength and beautiful appearance view, accurate size, good heat dissipation.
- 4) The core adopts gear reducer, which has high transmission efficiency and small power output

loss; gear material quality scm421, carburizing heat treatment process, precision grinding, wear

 $resistance, impact\ resistance, service\ life\ far\ beyond\ worm\ gear\ transmission\ structure.$

5) The core adopts DC brushless motor, with large output torque and small volume, which can be $\frac{1}{2}$

realized by controller the speed can be adjusted at will. When the lowering and lifting poles are in

place, the deceleration buffer can be realized to make the brake poles in place stably.

6)DC24V safety voltage is adopted for the motor to avoid electric shock accident caused by

electric leakage and personal injury safety is more guaranteed

Company Profile

Product description

- 1.-The traffic barrier is widely used for the facilities of parking, traffic or toll system.
- 2.-Arms can be chosen from 1.5 meters to 6 meters.
- 3.-This type of barrier could match with direct boom(pole), fold boom Or fence boom..
- 4. When power off, we can lift up the boom arm by hand directly
- 5.-All the process is soft without any noise and shaking.
- 6.-Housing color: yellow,red ,blue,black,white (optional)
- 8.-Boom arm direction can be chosen leftward to rightward.
- 8.-Auto warming up, suitable for cold environment.

Application:

Office Buildings.

Shopping and mall Centers.

Vehicle Parks.

Distribution and Warehouse Facilities.

Commercial and Industrial Facilities.

Government Buildings.

Stations

Parameters



Technical Parameters

Size 300*250*990mm

Power supply DC 24V

Open/close speed 0.3s to 6s

Working temperature -30~60°C

Rated power 140w

Motor rated speed 1500r/min

Humidity <=85%

Remote control

distance


30 m

Max boom length 6m


External power 220V 50/60HZ


Product picture














interior structure:



Big torque motor

Collision resistant motor

Toll station motor

MCBF more 5 million times

Fast response

Packing & Delivery

The packaging of 18B unit motor



1.Put polyurethane foam inside



Cover with plastic and put the motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Boom barrier projects





Visit factory









Exhibition



Certification



















FAQ

FAQ1. who are we? We are based in Guangdong, China, start from 2010,sell to Africa(2.00%). There are total about 101-200 people in our office. 2. how can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment; 3.what can you buy from us? boom barrier,DC motor,gate road motor,car park barrier

4. Do you provide sample?

We can supply sample ,but the customer have to pay the sample cost and courier cost.

5. why should you buy from us not from other suppliers? We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We has professional equipment, assembly line production and quality assurance. We can customize according to customer needs. 6. what services can we provide? Accepted Delivery Terms: FOB,EXW Accepted Payment Currency: USD,EUR; Accepted Payment Type: T/T,PayPal,Cash;

CBG® Shenzhen Chengbang Electromechancal Industry Limited

+8615017905059

mok_1szcb_cbg@163.com

automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City