Car Park Access Control Barrier Gate DC24V For Parking Security System

Basic Information

• Place of Origin: Guangdong, China

Brand Name: CBG
Model Number: 18B-ZY
Minimum Order Quantity: 2 pieces

• Price: \$360.00/pieces 2-99 pieces



Product Specification

Working Temperature: -30-60°C
Power Supply: 140W
Usage: Outdoor
Boom Barrier Length: 1.5-6M
Work Voltage: DC-24V
Feature: Waterproof

• Operating Speed: 0.3-6s(Depend On Arm Length)

• Insulation Level: F


Operating Life: >5 Million Warranty: 2 Years

Highlight: DC24V Car Park Barrier Gate,
 DC24V Access Control Barrier Gate,

Security Car Park Barrier Gate



More Images



Product Description

DC-24V Work Voltage Car Park Barrier Gate For Parking Access Control Security System

Product Description

Overview

Company Profile

Product description

A boom barrier is designed for a range of max opening up to 6m. It is ideal solution for controlling vehicle traffic in parking lots, private entrances, industrial and public uses.

As a manufacturer, we have more than 10 year experiences on designing, producing and installing boom barriers. We have good quality control, so we vigorously test our boom barriers to make sure a longer life span.

Benefits

1. Long-lasting

Boom gates are incredibly strong and long-lasting. They require little maintenance and are designed to tolerate some wear and tear. Boom gates are a safe and reliable automatic security barrier since they have minimal moving parts. They are also simple to install and maintain.

2. Simple exit in case of a power outage

A boom gate can be manually operated and switched to open if there is a power outage on your property. Vehicles will be able to leave quickly and safely as a result.

3. Easy Integration with Security Equipment

To operate more safely and effectively, these security gates can be quickly combined with RFID, cameras that read license plates, and other access control technology. Additionally, when coupled with a number plate reader, it can restrict vehicle passage until valid authentication has been achieved. Due to the whole record being captured, this offers a second layer of protection.

Parameters



Technical Parameters

Size 230*300*980mm

Power supply DC 24V

Open/close speed 0.3s to 6s

Working temperature -30~60°C

Rated power 140w

Motor rated speed 1500r/min

Humidity <=85%

Remote control

distance


30 m


Max boom length 6m


External power 220V 50/60HZ


Product picture














interior structure:



Big torque motor

Collision resistant motor

Toll station motor

MCBF more 5 million times

Fast response

Packing & Delivery

The packaging of 18B unit motor



1.Put polyurethane foam inside



Cover with plastic and put the motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Boom barrier projects





Exhibition



Certification



















FAQ1. who are we? We are based in Guangdong, China, start from 2010,sell to Africa(2.00%). There are total about 101-200 people in our office. 2. how can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment; 3.what can you buy from us? boom barrier,DC motor,gate road motor,car park barrier 4. why should you buy from us not from other suppliers? We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories.We has professional equipment, assembly line production and quality assurance. We can customize according to customer needs. 5. what services can we provide? Accepted Delivery Terms: FOB,EXW Accepted Payment Currency:USD,EUR; Accepted Payment Type: T/T,PayPal,Cash; 6.Do you suppply the sample? Yes, we provide the sample,but you have to pay the sample cost and courier cost.

CBG Shenzhen Chengbang Electromechancal Industry Limited





