Access Control Barrier Gear Reducer Motor Speed Adjustable for Road Traffic Gate

Basic Information

• Place of Origin: Guangdong, China

Brand Name: CBG
Model Number: 18B-ZY-9
Minimum Order Quantity: 2 pieces

Price: \$150.00/pieces 2-199 pieces



Product Specification

Working Temperature: -30-60°C
Power Supply: 140W
Usage: Outdoor
Boom Barrier Length: 1.5-6M
Work Voltage: DC-24V
Feature: Waterproof

• Operating Speed: 0.3-6s(Depend On Arm Length)

Insulation Level:F

Operating Life: >5 MillionWarranty: 2 Years

• Highlight: Barrier Gear Reducer Motor,


Speed Adjustable Gear Reducer Motor, Traffic Gate Gear Reducer Motor



More Images









Product Description

18B Motor Parking Access Control Barrier For Speed Adjustable Road Traffic Gate System

Product Description

Overview

Company Profile

Backed by a rich industry experience, we are engaged in offering an optimum grade of Automatic Barrier that is used in parking areas. The offered barrier is precisely designed under the guidance of experienced professionals using the best quality raw material and advanced technology. Our provided barrier is available in different sizes, designs and specifications as per the requirements of our clients. Moreover, this barrier is highly praised in the market owing to its easy usage and smooth finish.

Product description

Application:

Office Buildings

Shopping and mall Centers.

Vehicle Parks.

Distribution and Warehouse Facilities.

Commercial and Industrial Facilities.

Government Buildings.

Stations

Features

- 1)The movement adopts side stick installation, which is convenient for installation and compact in structure.
- 2) When power off, we can lift up the boom arm by hand directly
- 3)The main body of the movement is made of aluminum alloy, which is made by die-casting process, with reliable mechanical strength and beautiful appearance view, accurate size, good heat dissipation.
- 4)The core adopts gear reducer, which has high transmission efficiency and small power output loss; gear material quality scm421,carburizing heat treatment process, precision grinding, wear resistance, impact resistance, service life far beyond worm gear transmission structure.
- 5)The core adopts DC brushless motor, with large output torque and small volume, which can be realized by controller the speed can be adjusted at will. When the lowering and lifting poles are in place, the deceleration buffer can be realized to make the brake poles in place stably.
- 6)DC24V safety voltage is adopted for the motor to avoid electric shock accident caused by electric leakage and personal injury safety is more guaranteed.

Parameters



Technical Parameters

Size 230*300*980mm

Power supply DC 24V

Open/close speed 0.3s to 6s

Working temperature -30~60°C

Rated power 140w

Motor rated speed 1500r/min

Humidity <=85%

Remote control

distance


30 m


Max boom length 6m


External power 220V 50/60HZ


Product picture














interior structure:



Big torque motor

Collision resistant motor

Toll station motor

MCBF more 5 million times

Fast response

Packing & Delivery

The packaging of 18B unit motor



1.Put polyurethane foam inside



Cover with plastic and put the motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Boom barrier projects





Exhibition



Certification



















FAQ1. who are we? We are based in Guangdong, China, start from 2010,sell to Africa(2.00%). There are total about 101-200 people in our office. 2. how can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment; 3.what can you buy from us? boom barrier,DC motor,gate road motor,car park barrier 4. why should you buy from us not from other suppliers? We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories.We has professional equipment, assembly line production and quality assurance. We can customize according to customer needs. 5. what services can we provide? Accepted Delivery Terms: FOB,EXW Accepted Payment Currency:USD,EUR; Accepted Payment Type: T/T,PayPal,Cash; 6.Do you suppply the sample? Yes, we provide the sample,but you have to pay the sample cost and courier cost.

CBG Shenzhen Chengbang Electromechancal Industry Limited





