# 140W Output Power Traffic Barrier Gate System For Car Parking Management

#### **Basic Information**

- Place of Origin:
- Brand Name:
- Model Number:
- Minimum Order Quantity:
- Price:
- Guangdong, China
- CBG, CBG 18B
- Quantity: 2 sets
  - \$360.00/sets 2-99 sets



#### **Product Specification**

- Max Length Of Boom:
- Voltage:
- Inslation Class:
- Warranty:
- Operation Lifetime:
- Output Power:
- Feature:
- Altitude:

• Highlight:

- Special Features:
- 6 Meter DC24V F 2 Years >=5 Million Times 140W Durable 1000M Or Lower Waterproof / Weatherproof
- 140W Traffic Barrier Gate, Car Parking Traffic Barrier Gate, Traffic Barrier Gate System






#### **Product Description**

140W Output Power High Speed Traffic Barrier Gate System For Car Parking Management

#### Products Description



## **18B Motor Parameters**

Voltage:DC24V	Output Efficiency:140W	Humidity:85% or lower
Insulation Class:F	Gate Operation Time:0.3-5S	Altitude:1000 Meter or lower
Current:6A	Operation Lifetime:>=5million times	Temperature Range:-40°C to +60°C (temperatures below -20°C require a heating element)

Applications: Generally suited for controlling gates leading to highways and expressways, as well as vehichle-plate

reading systems for gated communities and commercial parking lots.

# Interior Structure





# HIGH TORQE MOTOR

\*Pure gear

\*Low noise

\*Open&close speed to adjustable

\*Easly to change the direction

\*Brush-less DC24V \*Safety voltage





\*High intensity spring

\*Top can be opened



### Old and New Product's Difference



#### Before: 1) Worm gear, general appearance

2) The previous products use with Rv50 reducer and added the splint to compose the movement. The worm gear is a consumable product. After using a long time, there will be a large gap, the pole will be not stable and shake so will cause the gear reducer to grind.

3)The products mainly used with **AC 220V** motor, the fixed speed was **not adjustable**.

4) Open structure, a low degree of protection, easy to enter water.

5) During installation, needs to adjusted the magnet position to ensure the door opening angle. After a long time, the shaking will affect the limit position or the pole may be deviated downwards.



#### After:

1) Gear transmission structure, beautiful appearance, compact structure, strong overall sense.

2) The new products are tailor-made for this industry and the gear adopts the processing technology of worm grinding wheel grinding after heat treatment, fine rolling of hard alloy hob, etc., the accuracy grade  $\geq$  GB / T100951, 2-2001 7 level.

3)The new product uses with DC 24V brushless motor to avoid the problem of carbon brush life. Adjustable speed.

4)The entire seal structure, high degree of **protection (≥IP55)**; have a rainproof capability.

5) Installed the chassis, adjust the position automatically after power on, and adjust the angle of rising pole and falling pole at will.

# Packing List



Single net weight about : 45KG(Not include the boom arm)

Single package carton size: 108.5X38X34CM Package Type: Carton

### **Company Profile**

Shenzhen Chengbang Electromechancal Industry Limited was established in 2010, located in Guangdong China. The factory with 5,000 square meter areas and more than 100 experienced employees which supply ability is 5,000pcs per month. We are the professional manufacturer for vehicle entrance management system and equipment (Swinging door operating mechanism, Brush-less gate motor, DC brush-less single unit operating mechanism, Commercial gate operating mechanism and so on). We have strong scientific technology, first-class produced lines, advanced gear testing centers and high-precision advanced equipment, imported CNC gears which are ahead of our peers in terms of quality. In pursuit of high quality products, excellent reputation, continuous innovation and development and perfect after-care service, we d launched a series of diversified products.



Workshop View



Assembly Equipment



Visit Factory



## FAQ

Q: Are you wholesaler or trade company?

A: We're manufacturer of boom barrier motor and our factory is in Guangdong, China.

Q: How long is the delivery time?

A: 24 hours delivery for stock after full payment, for the bulk goods, need about 5-20 days.

- Q: How about your warranty?
- A: The movement's warranty is 2 years.
- Q: Do you provide sample?
- A: Yes, we can offer the sample for charge and freight collect.

If need more details, please don't hesitate to contact with us :-)

#### Exhibition



Enterprise Qualification



Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City