



## F Class Insulation Heavy Duty Lifting Flap Barrier For Fully Automated Parking System

Our Product Introduction

for more products please visit us on [automaticbarriersgates.com](http://automaticbarriersgates.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 18B
- Minimum Order Quantity: 2 sets
- Price: \$450.00/sets 2-99 sets



### Product Specification

- Voltage: DC24V
- Output Efficiency: 140W
- Current: 6A
- Insulation Class: F
- Gate Operation Time: 0.3-6S
- Operation Lifetime: >=5million Times
- Temperature Range: -30°C To 60°C
- Humidity: 85% Or Lower
- Altitude: 1000M Or Lower
- Highlight: **Heavy Duty Lifting Flap Barrier, F Class Insulation Flap Barrier, Automated Parking System Flap Barrier**



### More Images



## Product Description

### F Class Insulation Heavy-Duty Flap Lifting Barrier For Fully Automated Parking System

#### Product Description

**CBG®**




CBG<sup>®</sup>



CBG<sup>®</sup>



CBG<sup>®</sup>



1. Advertidsing Gate




2. Straight Pole





3. Foldabe Pole



4. Fence







## Specification

Flap Size:93\*780 MM

Light Case Size:460\*900 MM

LED Power/Current:12V/5A

Lift Speed:2.5-5 S

Remote Distance:>=30 M

Operation:Remote Control,Manual  
Operation,Keypress

Motor:18  
B

Voltage/Current/Efficiency:DC24V/10A/14  
0W

Insulation Class:F


Gate Operation Time:0.3-6 S

Operation Lifetime:>=5 million tiems

Temperature Range:-30℃ to +60℃

Altitude: 1000M or lower

## Details Images



1. Advertising Gate


The max length is 4.5M.

The max length is 6M.
2. Straight Pole

The max length is 6M.
3. Foldable Pole

The max length is 6M.
4. Fence

The max length is 6M.



Size name	Aluminum length	A	B
The formula	L	L+160	L-296
	3000	3164	2704
	3630	3794	3334
	4260	4424	3964

Since the width of the flap is 90 mm the increase or decrease must be an integer multiple of 90 mm.

## Applicable places



Parking lot



Company



Community



Police station



Office building



Station




Underground parking lot



## Functions & Features

CBG



## Packing & Delivery





To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.



Shenzhen Chengbang Electromechanical Industry Limited is a manufacturer specializing in the production of non-standard reducers and motors for road gates, gear reduction machines, aluminum shell motors and gate motors. We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We can customize according to customer needs.

## Factory View

---



Visit Factory

---



## FAQ

### 1. who are we?

We are based in Guangdong, China, start from 2010, sell to Africa (2.00%). There are total about 101-200 people in our office.

### 2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final inspection before shipment;

### 3. what can you buy from us?

boom barrier, DC motor, gate road motor, car park barrier

### 4. why should you buy from us not from other suppliers?

We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We have professional equipment, assembly line production and quality assurance. We can customize according to customer needs.

### 5. what services can we provide?

Accepted Delivery Terms: FOB, EXW

Accepted Payment Currency: USD, EUR;

Accepted Payment Type: T/T, PayPal, Cash;

Language Spoken: English, Chinese

### 6. Do you supply the sample service?

Yes, we can offer sample, but you have to pay the sample cost and courier cost.

**CBG<sup>®</sup>** Shenzhen Chengbang Electromechanical Industry Limited



+8615017905059



mok\_1szcb\_cbg@163.com



automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City