



140W Power Parking Lot Turnstile Motor In Underground

Our Product Introduction

for more products please visit us on automaticbarriersgates.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 18B
- Minimum Order Quantity: 2 pieces
- Price: \$160.00/pieces 2-99 pieces

CBG[®]



Product Specification

- Application: Parking Lot
- Power Supply: DC24V
- Motor Power: 140W
- Warranty: 2 Years
- Feature: Waterproof/weatherproof,rust Resistant
- Material: Aluminum Alloy
- Open /close Speed: 0.3-6s
- WORKING TEMPERATURE: -30 Degree-60 Degree
- WEIGHT: 50kg
- Highlight: Parking Lot Turnstile Motor, 140W Turnstile Motor, Underground Turnstile Motor

CBG[®]



More Images

CBG[®]



Three fastest speeds to choose



Fastest speed 0.85



Fastest speed 1.25




Fastest speed 2.55

DC Brush-Less Single Unit Operating Mechanism >>>



Product Parameters
Voltage: DC24V
Output Efficiency: 120W
Current: 6A
Insulation Class: F
Gate Operation Time: 0.3-5s
Operation Lifetime: ≥ 5 million times
Working Environment
Temperature Range: -40°C ~ +60°C
(-40°F ~ +140°F)
(temperatures below -20°C/4°F require a heating element)
Humidity: 85% or lower
Altitude: 1000M or lower
Application
Generally suited for controlling gates leading to highways and expressways, as well as vehicle-plate reading systems for gated communities and commercial parking lots.



Product Description


140W Speed Motor Power Parking Lot Turnstiles For Import And In Underground


Product Description

Automatic Boom Barrier

🔊 Quiet and steady on opening and closing.

Durable,Cute Appearance






Parking Barrier Gate



Easy Operation, Quiet, Steady





Packing List



Case



Brush-less
DC24V motor



Straight rod



24V10A
Power supply



Brush-less DC
Control board



Receiver



Remote control



HIGH TORQUE MOTOR

- *Pure gear
- *Low noise
- *Open&close speed to adjustable
- *Easy to change the direction

*Brush-less DC24V

*Safety voltage





*High intensity spring



*Top can be opened



Three fastest speeds to choose




Fastest speed:0.6S



Fastest speed:1.2S



Fastest speed:2.5S



Specification

Voltage:DC24V	Insulation Class:F	Gate Operation Time:3-6S
Output Efficiency:30W	Altitude:1000M or lower	Operation Lifetime:>=5 million times
Current:1.5A	Humidity:85% or lower	Temperature Range:-30°C to +70°C
Application:mainly suited for controlling rapid-response gates such as swing gates or barrier lift gates(single or double jointed)		

Packing & Delivery

The packaging of 18A unit motor



1. Cover with plastic and put the motor in the carton.

2. Seal the carton with tape

The packaging of 18B unit motor



1. Put polyurethane foam inside

2. Cover with plastic and put the motor into the carton

3. Seal the carton with tape.

To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Company Profile

Shenzhen Chengbang Electromechanical Industry Limited is a manufacturer specializing in the production of non-standard reducers and motors for road gates, gear reduction machines, aluminum shell motors and gate motors. We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We can customize according to customer needs.

Exhibition



Visit factory



CBG[®] Shenzhen Chengbang Electromechanical Industry Limited

☎ +8615017905059 ✉ mok_1szcb_cbg@163.com 🌐 automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City