



Private Parking Barrier Gate Small Turnstiles 40-60w With 5 Million Operating Life


Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 20B-V
- Minimum Order Quantity: 2 pieces
- Price: \$115.00/pieces 2-99 pieces



Product Specification

- | | |
|------------------------|---|
| ● Power Supply: | DC 24V |
| ● Max Arm Length: | 2m |
| ● Power: | 40-60w |
| ● Warranty: | 2 Year Guarantee |
| ● Application: | Parking Lot |
| ● Feature: | Durable |
| ● Working Environment: | -30 ~ +60 |
| ● Speed: | 0.3-1.5s |
| ● Operating Life: | >= 5 Million |
| ● Altitude: | <1000m |
| ● Highlight: | 60w Parking Barrier Gate,
Parking Barrier Gate 40w,
Private Parking Turnstile Barrier Gate |



Product Description

Private Parking Barrier Gate Speed Small Turnstiles With Operating Life Of 5 Million

Product Description

Overview

Company Profile

Private Parking Barrier Gate Speed Small Turnstiles with Operating Life of 5 Million

- 1) Equipped with DC24V brushless DC motor
- 2) Rated power 60W
- 3) Multi speed one-way, takeoff and landing stop, return when encountering obstacles, counting, delayed rod lowering,
- 4) RS485 output and other delayed automatic door closing, combined with external protection devices such as ground sensing and infrared
- 5) Equipped with multiple interfaces, it can connect to parking management systems such as infrared, radar, 485 interfaces, etc.
- 6) The maximum pole length is 2 meters, and the takeoff and landing time of the pole is adjustable from 3 to 6 seconds
- 7) During power outage, the brake lever can be manually operated to lift and lower
- 8) Ultra long remote control distance, open and undisturbed environment greater than 30 meters
- 9) Infinite position design,easy debugging

Small Parking Lot Barrier Gate



Compact structure
Beautiful appearance
Easy installation
Small volume
Good heat dissipation
Large output torque

道闸参数

源头厂家 质量有保障



产品型号	ZYVIP道闸	机箱尺寸	110*141*821mm
产品机芯	一体直流无刷机芯	电机功率	60W
产品主板	直流无刷道闸控制器	外接电源	220v 50/60HZ
闸杆	圆杆1.5米（带灯条）	环境温度	-30~60°C
灯带电源	12V/10A	运行方式	遥控、按键

Technical Parameters

Size	110*141*821mm
Power supply	DC24V
Open/close speed	3-6s
Working temperature	-30~60°C
Rated power	40-60W
Humidity	90% no condensation
Remote control distance	>=30m
Max boom length	2m



道闸参数


源头厂家 质量有保障



产品型号	ZYVIP道闸	机箱尺寸	110*141*821mm
产品机芯	一体直流无刷机芯	电机功率	60W
产品主板	直流无刷道闸控制器	外接电源	220v 50/60HZ
闸杆	圆杆1.5米（带灯条）	环境温度	-30~60℃
灯带电源	12V/10A	运行方式	遥控、按键












Packing & Delivery





To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Similar products



Certification



visit factory



Exhibition



CBG[®] Shenzhen Chengbang Electromechanical Industry Limited

+8615017905059 mok_1szcb_cbg@163.com automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City