



ANPR Car Access Control Barrier Gate Motor For Rust Resistant Automatic Parking Fence

Our Product Introduction

for more products please visit us on automaticbarriersgates.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 18B-ZY
- Minimum Order Quantity: 2 pieces
- Price: \$155.00/pieces 2-99 pieces

Packing List



Product Specification

- Working Temperature: -30-60°C
- Power Supply: 140W
- Usage: Outdoor
- Boom Barrier Length: 1.5-6M
- Work Voltage: DC-24V
- Feature: Waterproof
- Operating Speed: 0.3-6s(Depend On Arm Length)
- Insulation Level: F
- Operating Life: >5 Million
- Warranty: 2 Years
- Highlight: Car Access Control Barrier Gate Motor, ANPR Barrier Gate Motor, Rust Resistant Barrier Gate Motor



More Images



Product Description

Motor ANPR Car Access Control Barrier Gate For Rust Resistant Automatic Parking Fence

Product Description

Overview

18B

This barrier gate offer a reliable and efficient method to ensure pedestrian are allowed access to each area of space.

The compact structure makes it simple to construct a multiple lane set-up while the variety housing colors allows you to match this parking barrier perfectly to your parking lot.

Company Profile

Product description

- 1.-The traffic barrier is widely used for the facilities of parking, traffic or toll system.
- 2.-Arms can be chosen from 1.5 meters to 6 meters.
- 3.-This type of barrier could match with direct boom(pole), fold boom Or fence boom..
- 4.When power off, we can lift up the boom arm by hand directly
- 5.-All the process is soft without any noise and shaking.
- 6.-Housing color: yellow,red ,blue,black,white (optional)
- 8.-Boom arm direction can be chosen leftward to rightward.
- 8.-Auto warming up,suitable for cold environment.

Application:

Office Buildings.

Shopping and mall Centers.

Vehicle Parks.

Distribution and Warehouse Facilities.

Commercial and Industrial Facilities.

Government Buildings.

Stations

Parameters



Technical Parameters

| | |
|-------------------------|----------------|
| Size | 330*270*1020mm |
| Power supply | DC 24V |
| Open/close speed | 0.3s to 6s |
| Working temperature | -30~60℃ |
| Rated power | 140w |
| Motor rated speed | 1500r/min |
| Humidity | <=85% |
| Remote control distance | 30 m |
| Max boom length | 6m |
| External power | 220V 50/60HZ |

Product picture





1. Straight rod




2. Telescopic rod



3. Folding rod



4. Fence







Automatic Boom Barrier

 Quiet and steady on opening and closing.

Durable, Cute Appearance






Parking Barrier Gate



Easy Operation, Quiet, Steady



interior structure:



Big torque motor
Collision resistant motor

Toll station motor

MCBF more 5 million times

Fast response

Packing & Delivery

The packaging of 18B unit motor




1.Put polyurethane foam inside



2.Cover with plastic and put the motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Boom barrier projects



Exhibition



Certification



CBG[®] Shenzhen Chengbang Electromechanical Industry Limited

+8615017905059 mok_1s2cb_cbg@163.com automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City