Outdoor Access Control Barrier Gate for Customizable Office Buildings and Public Places

Basic Information

- Place of Origin:
- gin: Guangdong, China e: CBG
- Brand Name:Model Number:
- Minimum Order Quantity:
- Price:
- 18B-ZY 2 pieces
- \$360.00/pieces 2-99 pieces

-30-60°C

140W

Outdoor

1.5-6M

DC-24V

Waterproof

>5 Million



Product Specification

- Working Temperature:
- Power Supply:
- Usage:
- Boom Barrier Length:
- Work Voltage:
- Feature:
- Operating Speed:
- Insulation Level:
- Operating Life:
- 2 Years

F

Warranty:Highlight:

Outdoor Access Control Barrier Gate, Customizable Access Control Barrier Gate, Public Places Access Control Barrier Gate

0.3-6s(Depend On Arm Length)

More Images



Product Description

Overview

The boom gate is composed of a chassis, a chip, a motor, a control system, a force-balancing device, a gearbox, an electrical control unit, and a gate rod.

The basic structure of a boom gate barrier consists of the following main parts:

1. Chassis section: usually made of metal materials, responsible for carrying and supporting the entire barrier equipment. We provide many kinds of Chassis section ,also accept OEM and ODM if the quantity enough.

2. Motor and transmission device: responsible for providing power and controlling the lifting motion of the gate. Actually our mechanism is 18B

3. Barrier arm: composed of straight rods, fence rods, or panels, used to block the entry and exit of vehicles.

4. Control system: including electrical control devices, sensors, controllers, etc., used to sense the entry and exit of vehicles and control the operation of boom gates.

Company Profile

Product description

1.-The traffic barrier is widely used for the facilities of parking, traffic or toll system.

2.-Arms can be chosen from 1.5 meters to 6 meters.

- 3.-This type of barrier could match with direct boom(pole), fold boom Or fence boom..
- 4. When power off, we can lift up the boom arm by hand directly
- 5.-All the process is soft without any noise and shaking
- 6.-Housing color: yellow,red ,blue,black,white (optional)
- 8.-Boom arm direction can be chosen leftward to rightward.
- 8.-Auto warming up, suitable for cold environment.

Application:

Office Buildings.

Shopping and mall Centers.

Vehicle Parks.

Distribution and Warehouse Facilities.

Commercial and Industrial Facilities.

Government Buildings.

Stations


Parameters





Technical Parameters


Size	330*270*1020mm
Power supply	DC 24V
Open/close speed	0.3s to 6s
Working temperature	-30~60°C
Rated power	140w
Motor rated speed	1500r/min
Humidity	<=85%
Remote control distance	30 m
Max boom length	6m
External power	220V 50/60HZ

Product picture














interior structure:



Big torque motor Collision resistant motor

Toll station motor

MCBF more 5 million times

Fast response

Packing & Delivery

The packaging of 18B unit motor



1.Put polyurethane foam inside



2.Cover with plastic and put the motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Boom barrier projects





Exhibition



Certification



FAQ

FAQ1. who are we? We are based in Guangdong, China, start from 2010,sell to Africa(2.00%). There are total about 101-200 people in our office. 2. how can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment; 3.what can you buy from us? boom barrier,DC motor,gate road motor, car park barrier 4. why should you buy from us not from other suppliers? We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories.We has professional equipment, assembly line production and quality assurance. We can customize according to customer needs. 5. what services can we provide? Accepted Delivery Terms: FOB,EXW Accepted Payment Currency:USD,EUR; Accepted Payment Type: T/T,PayPal,Cash; 6.Do you supply the sample? Yes, we provide the sample,but you have to pay the sample cost and courier cost.

