Operating Speed 0.3-6s Automatic Barrier Gate Toll System Fence Waterproof

Basic Information

Place of Origin: Guangdong, China

Brand Name: CBGModel Number: 18B-ZYMinimum Order Quantity: 2 pieces

Price: \$360.00/pieces 2-99 pieces



Product Specification

Working Temperature: -30-60°C
Power Supply: 140W
Usage: Outdoor
Boom Barrier Length: 1.5-6M
Work Voltage: DC-24V
Feature: Waterproof

• Operating Speed: 0.3-6s(Depend On Arm Length)

Operating Life: >5 Million Warranty: 2 Years

• Highlight: 6s Automatic Barrier Gate,

Waterproof Automatic Barrier Gate, Toll System Automatic Barrier Gate

Product Description

Operating Speed 0.3-6s Depend On Arm Length Waterproof Barrier Gate Toll System Fence

Product Description

Overview

The need of Boom Barrier Gates:

Automatic Barrier gate can ensure the safety of people/places. The advantage of Automatic Barrier is that they can serve as the first line of defense for security, and security personnel can inspect each vehicle. Usually, in areas with high traffic flow, manual traffic management becomes difficult. The seamless and easy-to-use parking management system provided by CBG can reduce congestion/traffic, increase revenue, and improve the overall output of parking projects

Company Profile

Product description

- 1.-The traffic barrier is widely used for the facilities of parking, traffic or toll system.
- 2.-Arms can be chosen from 1.5 meters to 6 meters.
- 3.-This type of barrier could match with direct boom(pole), fold boom Or fence boom..
- 4. When power off, we can lift up the boom arm by hand directly
- 5.-All the process is soft without any noise and shaking.
- 6.-Housing color: yellow,red ,blue,black,white (optional)
- 8.-Boom arm direction can be chosen leftward to rightward.
- 8.-Auto warming up, suitable for cold environment.

Application:

Office Buildings.

Shopping and mall Centers.

Vehicle Parks.

Distribution and Warehouse Facilities.

Commercial and Industrial Facilities.

Government Buildings.

Stations

Parameters



Technical Parameters

Size 330*270*1020mm

Power supply DC 24V

Open/close speed 0.3s to 6s

Working temperature -30~60°C

Rated power 140w

Motor rated speed 1500r/min

Humidity <=85%

Remote control distance

30 m


Max boom length 6m


External power 220V 50/60HZ


Product picture














Easy Operation, Quiet, Steady



interior structure:



Big torque motor Collision resistant motor

Toll station motor

MCBF more 5 million times

Fast response

Packing & Delivery

The packaging of 18B unit motor



1.Put polyurethane foam inside



Cover with plastic and put the motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Boom barrier projects





Exhibition



Certification



















FAQ

FAQ1. who are we? We are based in Guangdong, China, start from 2010,sell to Africa(2.00%). There are total about 101-200 people in our office. 2. how can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment; 3.what can you buy from us? boom barrier,DC motor,gate road motor,car park barrier 4. why should you buy from us not from other suppliers? We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We has professional equipment, assembly line production and quality assurance. We can customize according to customer needs. 5. what services can we provide? Accepted Delivery Terms: FOB,EXW Accepted Payment Currency:USD,EUR; Accepted Payment Type: T/T,PayPal,Cash; 6.Do you suppply the sample? Yes, we provide the sample,but you have to pay the sample cost and courier cost.





