# Road Safety Parking Boom Barrier Gate 140W Power Supply For Entrance And Exist

#### **Basic Information**

• Place of Origin: Guangdong, China

Brand Name: CBG
Model Number: 18B-ZY-7
Minimum Order Quantity: 2 pieces

Price: \$360.00/pieces 2-99 pieces



#### **Product Specification**

Working Temperature: -30-60°C
Power Supply: 140W
Usage: Outdoor
Boom Barrier Length: 1.5-6M
Work Voltage: DC-24V
Feature: Waterproof

• Operating Speed: 0.3-6s(Depend On Arm Length)

• Insulation Level: F

Operating Life: >5 Million Warranty: 2 Years

• Highlight: Entrance Boom Barrier Gate,

Exist Boom Barrier Gate,

Road Safety Parking Boom Barrier



#### More Images









#### **Product Description**

140W Power Supply Road Safety Barrier Parking Boom Barrier Gate For Entrance And Exist

### **Product Description**

#### Overview

#### Company Profile

Boom gates are security access barriers used to control vehicle ttraffic flow. They mostly used in the parking areas of residential complexes, shopping centres, and toll booths.

Automatic boom barriers use optical sensors or motion detectors for their functionality. Additionally, these barriers use an 'amperometric device' which is designed to ensure the safety of the boom gate system through obstacle detection. This amperometric device prevents the boom arm from suddenly lowering when a vehicle is in the passage.

### Product description

- 1.-The traffic barrier is widely used for the facilities of parking, traffic or toll system.
- 2.-Arms can be chosen from 1.5 meters to 6 meters.
- 3.-This type of barrier could match with direct boom( pole), fold boom Or fence boom..
- 4. When power off, we can lift up the boom arm by hand directly
- 5.-All the process is soft without any noise and shaking.
- 6.-Housing color: yellow,red ,blue,black,white (optional)
- 8.-Boom arm direction can be chosen leftward to rightward.
- 8.-Auto warming up, suitable for cold environment.

#### Application:

Office Buildings.

Shopping and mall Centers.

Vehicle Parks.

Distribution and Warehouse Facilities.

Commercial and Industrial Facilities.

Government Buildings.

Stations

#### **Parameters**



#### **Technical Parameters**

Size 330\*270\*1020mm

Power supply DC 24V

Open/close speed 0.3s to 6s

Working temperature -30~60°C

Rated power 140w

Motor rated speed 1500r/min

Humidity <=85%

Remote control

distance

30 m


Max boom length 6m


External power 220V 50/60HZ


## **Product picture**














Easy Operation, Quiet, Steady



#### interior structure:



Big torque motor Collision resistant motor

**Toll station motor** 

# MCBF more 5 million times

# **Fast response**

Packing & Delivery

# The packaging of 18B unit motor



1.Put polyurethane foam inside



Cover with plastic and put the motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

**Boom barrier projects** 





Exhibition



Certification



















#### **FAQ**

FAQ1. who are we? We are based in Guangdong, China, start from 2010,sell to Africa(2.00%). There are total about 101-200 people in our office. 2. how can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment; 3.what can you buy from us? boom barrier,DC motor,gate road motor,car park barrier 4. why should you buy from us not from other suppliers? We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We has professional equipment, assembly line production and quality assurance. We can customize according to customer needs. 5. what services can we provide? Accepted Delivery Terms: FOB,EXW Accepted Payment Currency:USD,EUR; Accepted Payment Type: T/T,PayPal,Cash; 6.Do you suppply the sample? Yes, we provide the sample,but you have to pay the sample cost and courier cost.





