## 3s Automatic Parking Barrier Gate Customizable For Car Driveway

#### **Basic Information**

Place of Origin: Guangdong, China

Brand Name: CBG
Model Number: 20B-V
Minimum Order Quantity: 2 pieces

Price: \$158.00/pieces 2-99 pieces



#### **Product Specification**

Power Supply: DC 24VMax Arm Length: 2mPower: 40-60w

Warranty: 2 Year Guarantee
Application: Parking Lot
Feature: Durable
Working Environment: -30 ~ +60
Speed: 3-6s

Operating Life: >= 5 MillionAltitude: <1000m</li>

• Highlight: Automatic Parking Barrier Gate,

 ${\it 3s\ Parking\ Barrier\ Gate},$ 

Car Driveway Parking Barrier Gate

# Thickened cold rolled plate housing The shelf is made of cold-rolled sheet stamping, stable and not easy to distort, with resist strikes, electrostatic spraying outer layer. Effective rust prevention, suitable for indoor and outdoor bad environment Simple ,beautiful appearance Water-proof,rust resistence Duarble Service

#### More Images









#### **Product Description**

3s Automatic Parking Barrier For Car Driveway Versatile And Customizable Options

#### **Product Description**

#### Overview

#### Merits:

High safety performance: The use of high-tech means to ensure the safety of the vehicle, effectively prevent illegal intrusion and other potential risks.


Strong data analysis ability: the system can collect and analyze data in real time to help managers optimize operational strategies and improve the overall service level.

#### Company Profile

#### Small Parking Lot Barrier Gate



Compact structure Beautiful appearance Easy installation Small volume Good heat dissipation Large output torque



#### **Technical Parameters**

Size 110\*141\*821mm

Power supply DC24V

Open/close speed 3-6s

Working temperature

-30~60°C

Rated power

40-60W

Humidity

90% no condensation

Remote control

distance


>=30m

Max boom length 2m



# 道闸参数

### 源头厂家 质量有保障




产品型号	ZYVIP道闸
产品机芯	一体直流无刷机芯
产品主板	直流无刷道闸控制器
闸杆	圆杆1.5米(带灯条)
灯带电源	12V/10A


机箱尺寸	110*141*821mm
电机功率	60W
外接电源	220v 50/60HZ
环境温度	-30~60°C
运行方式	遥控、按键






















Usage












Packing & Delivery



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

#### Similar products





#### Certification



















visit factory



Exhibition



FAQ1. who are we? We are based in Guangdong, China, start from 2010,sell to Africa(2.00%). There are total about 101-200 people in our office. 2. how can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment; 3. what can you buy from us? boom barrier,DC motor,gate road motor,car park barrier 4. why should you buy from us not from other suppliers? We're the manufacturer of boom barrier mechanism in China more than 10 years. The current is more than 100 staffs and 3 factories. We has professional equipment, assembly line production and quality assurance. We can customize according to customer needs. 5. what services can we provide? Accepted Payment Type: T/T,PayPal,Cash; 6.Do you suppply the sample? Yes, we provide the sample, but you have to pay the sample cost and courier cost.

#### **CBG** Shenzhen Chengbang Electromechancal Industry Limited



mok\_1szcb\_cbg@163.com



automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City