




Intelligent Mild Steel Color Powder Barrier Gate for Parking Lots Toll Gates and Highways

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 21B
- Minimum Order Quantity: 2 pieces
- Price: \$268.00/pieces 2-99 pieces



Product Specification

- Material: Mild Steel With Color Powder
- Motor: DC, 120W, 24V, Torque Motor
- Working Temperature: -35°C+ 75°C
- Usage: Road Traffic Safety, Parking Lots/toll Gate/highway/expressway/freeway/railway Crossing
- Speed: 0.8S, 1.5S, 3S(ACCPDING)
- Application: Over-sized Traffic Flow Area, Transit Solution, Outdoor, Tolling Solution, Parking Solution
- Highlight: **Intelligent Mild Steel Barrier Gate, Parking Lots Mild Steel Barrier Gate, Highways Mild Steel Barrier Gate**

for more products please visit us on automaticbarriersgates.com

Product Description

120W Power Supply Road Safety Barrier Parking Boom Barrier Gate For Entrance And Exit

Product Description

Overview

The barrier has long been a symbol of managed parking spaces. Its evolution is advancing, driven by requirements from users and parking operators.


Our barrier stands out for its strong presence and brings a high level of robustness despite its elegant design. Save costs with the highest energy efficiency, a durable and solid housing construction. This allows the use even in regions with high wind loads.

Company Profile

Product description

- 1.-The traffic barrier is widely used for the facilities of parking, traffic or toll system.
- 2.-Arms can be chosen from 1 meters to 6 meters.
- 3.-This type of barrier could match with direct boom(pole), fold boom Or fence boom..
- 4.-When power off, we can lift up the boom arm by hand directly
- 5.-All the process is soft without any noise and shaking.
- 6.-Housing color: yellow,red ,blue,black,white (optional)
- 8.-Boom arm direction can be chosen leftward to rightward.
- 8.-Auto warming up,suitable for cold environment.

Parameters



Technical Parameters

Size	330*270*1020mm
Power supply	DC 24V
Open/close speed	0.3s to 6s
Working temperature	-30~60°C
Rated power	140w
Motor rated speed	1500r/min
Humidity	<=85%
Remote control distance	30 m
Max boom length	6m
External power	220V 50/60HZ

Product picture



interior structure:



Big torque motor
Collision resistant motor

Toll station motor

**MCBF more 5 million
times**

Fast response

Packing & Delivery

The packaging of 18B unit motor




1.Put polyurethane foam inside



2.Cover with plastic and put the
motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Boom barrier projects



Exhibition



Certification



CBG[®] Shenzhen Chengbang Electromechanical Industry Limited

+8615017905059 mok_1szeb_cbg@163.com automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City