



## Yellow Steel Automatic Barrier Gate The Perfect Solution for Parking Access Control

Our Product Introduction

for more products please visit us on [automaticbarriersgates.com](http://automaticbarriersgates.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 21B
- Minimum Order Quantity: 2 pieces



### Product Specification

- Material: Steel
- Motor: DC24V, Torque Motor
- Working Temperature: -30~+60
- Speed: 0.8S, 1.5S, 3S(according To The Arm Length)
- Application: Parking Lot ,plazas, Business Centers, Shopping Malls, Airports
- Color: Yellow,(customized )
- Boom Length: Max 6M (customized)
- Highlight: **Yellow Steel Barrier Gate,  
Yellow Steel Automatic Barrier Gate,  
Parking Access Control Automatic Barrier Gate**

## Product Description

# 120W Power Supply Road Safety Barrier Parking Boom Barrier Gate For Entrance And Exit

## Product Description

### Overview

Gate barriers are used to authorize every type of vehicle access in car parks, shopping malls, hotels, hospitals, parking facilities, as well as all other types of small or large public facility in order to get convenient security system. Gate barriers are made from best quality material so one can use it for a longer period of time and because of its water resistant quality it is ideal for using in any weather condition. These barriers can conveniently restrict the flow of traffic and also secure your premises. Automated Gate barrier | parking spot barrier are really a wonderful idea to reduce the tedious manual work and secure your premises. Gate Barrier is an efficient Device which has useful Properties such as:  
Automated Security Management Water proof Used for Directing Traffic Prevents the unauthorized entry of vehicles into a particular property.

### Product description

- 1.-The traffic barrier is widely used for the facilities of parking, traffic or toll system.
- 2.-Arms can be chosen from 1meters to 6 meters.
- 3.-This type of barrier could match with direct boom( pole), fold boom Or fence boom..
- 4.When power off, we can lift up the boom arm by hand directly
- 5.-All the process is soft without any noise and shaking.
- 6.-Housing color: yellow,red ,blue,black,white (optional)
- 8.-Boom arm direction can be chosen leftward to rightward.
- 8.-Auto warming up,suitable for cold environment.


### Parameters



### Parameters

Power supply	DC24V
Control Board	DC brushless controller
Input power	220V,56/60hz
Power	120W
Lifting/ down way	Remote control or manual
Remote control distance	>30m
Types of arm	fold ,straight ,fence
Arm length	max 6m straight boom
Motor rated speed	1500r/min
Working temperature	-30~+60
Protect level	IP55
Humidity	85%

### interior structure:



Big torque motor

**Collision resistant motor**

**Toll station motor**

**MCBF more 5 million times**

**Fast response**

Packing & Delivery

## The packaging of 18B unit motor



1.Put polyurethane foam inside



2.Cover with plastic and put the motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

**Boom barrier projects**



Exhibition



Certification





**CBG<sup>®</sup> Shenzhen Chengbang Electromechanical Industry Limited**

+8615017905059    mok\_1szeb\_cbg@163.com    automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City