



Steel Automatic Barrier Gate The Perfect Solution for Traffic Management

Our Product Introduction

for more products please visit us on automaticbarriersgates.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 21B
- Minimum Order Quantity: 2 pieces
- Price: \$268.00/pieces 2-99 pieces



Product Specification

- Material: Steel
- Motor: DC24V, Torque Motor
- Working Temperature: -30~+60
- Speed: 0.8S, 1.5S, 3S(according To The Arm Length)
- Application: Parking Lot ,plazas, Business Centers, Shopping Malls, Airports
- Color: Yellow,(customized)
- Boom Length: Max 6M (customized)
- Highlight: **Perfect Solution Automatic Barrier Gate,
Traffic Management Automatic Barrier Gate,
Steel Automatic Barrier Gate**

Product Description

120W Power Supply Road Safety Barrier Parking Boom Barrier Gate For Entrance And Exit

Product Description

Overview

Parking Lot Automatic Barriers: These are automatic barrier systems located in the parking lots of places such as plazas, business centers, shopping malls, airports. With these systems, it is aimed to ensure parking lot security. These barrier systems, which are controlled by card or automatic systems, are the most widely used automatic barriers.

Product description

- 1.-The traffic barrier is widely used for the facilities of parking, traffic or toll system.
- 2.-Arms can be chosen from 1 meters to 6 meters.
- 3.-This type of barrier could match with direct boom(pole), fold boom Or fence boom..
- 4.-When power off, we can lift up the boom arm by hand directly
- 5.-All the process is soft without any noise and shaking.
- 6.-Housing color: yellow, red, blue, black, white (optional)
- 8.-Boom arm direction can be chosen leftward to rightward.
- 8.-Auto warming up, suitable for cold environment.

Parameters



Parameters

Power supply	DC24V
Control Board	DC brushless controller
Input power	220V,56/60hz
Power	120W
Lifting/ down way	Remote control or manual
Remote control distance	>30m
Types of arm	fold ,straight ,fence
Arm length	max 6m straight boom
Motor rated speed	1500r/min
Working temperature	-30~+60
Protect level	IP55
Humidity	85%

interior structure:



Big torque motor

Collision resistant motor

Toll station motor

MCBF more 5 million times

Fast response

Packing & Delivery

The packaging of 18B unit motor



1.Put polyurethane foam inside



2.Cover with plastic and put the motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Boom barrier projects



Exhibition



Certification



CBG[®] Shenzhen Chengbang Electromechanical Industry Limited

+8615017905059 mok_1szeb_cbg@163.com automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City