



Advanced Automatic Arm Barrier Gate for Optimal Traffic Control Solutions

Our Product Introduction

for more products please visit us on automaticbarriersgates.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 18B
- Minimum Order Quantity: 2 pieces



Product Specification

- Motor: DC24V, Torque Motor
- Working Temperature: -30~+60
- Speed: 0.8S, 1.5S, 3S(according To The Arm Length)
- Application: Parking Lot ,plazas, Business Centers, Shopping Malls, Airports
- Boom Length: Customize According To Spot
- Arm Material: Aluminum Alloy
- Keyword: Saudi Arabia Barrier Gate, Inverter Motor Automated Boom Barrier Parking Barrier Gate
- Highlight: **Advanced Automatic Arm Barrier Gate, Traffic Control Automatic Arm Barrier Gate**

Product Description

120W Power Supply Road Safety Barrier Parking Boom Barrier Gate For Entrance And Exit

Product Description

Overview

Our company offers top quality [arm barriers](#) at reasonable prices. Unlike other barriers, our arm barriers do not need any workers to control them as they are automatic. One can install these arm barriers at entrance or exit point to parking facilities of shopping malls, workplaces, and high-security premises.

Product description

- 1.-The traffic barrier is widely used for the facilities of parking, traffic or toll system.
- 2.-Arms can be chosen from 1meters to 6 meters.
- 3.-This type of barrier could match with direct boom(pole), fold boom Or fence boom..
- 4.-When power off, we can lift up the boom arm by hand directly
- 5.-All the process is soft without any noise and shaking.
- 6.-Housing color: yellow,red ,blue,black,white (optional)
- 8.-Boom arm direction can be chosen leftward to rightward.
- 8.-Auto warming up,suitable for cold environment.

Parameters



Parameters

Power supply	DC24V
Control Board	DC brushless controller
Input power	220V,56/60hz
Power	120W
Lifting/ down way	Remote control or manual
Remote control distance	>30m
Types of arm	fold ,straight ,fence
Arm length	max 6m straight boom
Motor rated speed	1500r/min
Working temperature	-30~+60
Protect level	IP55
Humidity	85%

interior structure:



Big torque motor

Collision resistant motor

Toll station motor

MCBF more 5 million times

Fast response

Packing & Delivery

The packaging of 18B unit motor




1.Put polyurethane foam inside



2.Cover with plastic and put the motor into the carton



3.Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Boom barrier projects



Exhibition



Certification



CBG[®] Shenzhen Chengbang Electromechanical Industry Limited

+8615017905059 mok_1szeb_cbg@163.com automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City