Parking Lot Gate Arm Lifting Barrier Gate Car Park Barrier Gate

Basic Information

• Place of Origin: Guangdong, China

Brand Name: CBGModel Number: 21BMinimum Order Quantity: 1pieces



Product Specification

Power Consumption: 120wCom Interface: RS485

• Lifetime: More Than 10 Million Or 10 Years

Arm Type: Straight Arm, Fence Arm And Folding Arm
Application: Parking Lot, Toll Gate, Factory Entrance

Warranty: 1 YearFrequency: 60HZ/50HZ

Housing Color: Red,Blue,Yellow,Customized,Orange Etc.
Highlight: Car Park Barrier Gate, Parking Lot Barrier Gate,

Gate Arm Lifting Barrier Gate

Product Description

120W Power Supply Road Safety Barrier Parking Boom Barrier Gate For Entrance And Exit

Product Description

Overview

- 1.-The traffic barrier is widely used for the facilities of parking, traffic or toll system.
- 2.-Arms can be chosen from 1meters to 6 meters.
- 3.-This type of barrier could match with direct boom(pole), fold boom Or fence boom..

Parameters



Parameters

| Power supply | DC24V |
|-------------------------|--------------------------|
| Control Board | DC brushless controller |
| Input power | 220V,50/60hz |
| Power | 120W |
| Lifting/ down way | Remote control or manual |
| Remote control distance | >30m |
| Types of arm | fold ,straight ,fence |
| Arm length | max 6m straight boom |
| Motor rated speed | 1500r/min |
| Working temperature | -30~+60 |
| Protect level | IP55 |
| Humidity | 85% |

interior structure:



Big torque motor Collision resistant motor

Toll station motor

MCBF more 5 million times

Fast response

Packing & Delivery

The packaging of 18B unit motor



1.Put polyurethane foam inside



Cover with plastic and put the motor into the carton



3.Seal the carton with tape





To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Boom barrier projects





Exhibition



Certification



















CBG Shenzhen Chengbang Electromechancal Industry Limited





