




## Automatic Parking Lot Barrier Gates for Road Traffic Safety and 140w Power Consumption in High Demand

Our Product Introduction

for more products please visit us on [automaticbarriersgates.com](http://automaticbarriersgates.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: CBG
- Model Number: 90
- Minimum Order Quantity: 1pieces



### Product Specification

- Power Consumption: 140w
- Service: OEM/ODM Available
- Color: Blue, Yellow, gray, red, brown
- Product Name: Barrier Gate, Parking Boom Gate Automatic Arm Barrier, Guangzhou Road Barrier Automatic Boom Barriers Gate Price
- Material: 2mm Cold-roller Sheet
- Housing Material: 2.0 Mm Cold Rolled Steel Sheet
- Boom Length: Max 6M (customized)
- Usage: Road Traffic Safety
- Highlight: **140w Automatic Parking Lot Barrier Gates, Road Parking Lot Barrier Gates**

## Product Description

# 120W Power Supply Road Safety Barrier Parking Boom Barrier Gate For Entrance And Exit

## Product Description

### Overview

Standard barrier gate; Up to 6m arm length; Arm Speed is 1.2s, 3s, 5s(suggest use 3s); Outdoor and indoor.

It is a digital barrier gate which is suitable for modern management characterized by "safety, quickness, high efficiency and high quality". It is mainly used in parking lot, hotel, school, garden villa, enterprise and public institution, etc...

### Product description

- 1.-The traffic barrier is widely used for the facilities of parking, traffic or toll system.
- 2.-Arms can be chosen from 1meters to 6 meters.
- 3.-This type of barrier could match with direct boom( pole), fold boom Or fence boom..
4. When power off, we can lift up the boom arm by hand directly
- 5.-All the process is soft without any noise and shaking.
- 6.-Housing color: yellow,red ,blue,black,white (optional)
- 8.-Boom arm direction can be chosen leftward to rightward.
- 8.-Auto warming up,suitable for cold environment.

### Parameters



## Parameters

Power supply	DC24V
Control Board	DC brushless controller
Input power	220V,56/60hz
Power	120W
Lifting/ down way	Remote control or manual
Remote control distance	>30m
Types of arm	fold ,straight ,fence
Arm length	max 6m straight boom
Motor rated speed	1500r/min
Working temperature	-30~+60
Protect level	IP55
Humidity	85%

### interior structure:



Big torque motor

**Collision resistant motor**

**Toll station motor**

**MCBF more 5 million times**

**Fast response**

Packing & Delivery

## The packaging of 18B unit motor



1. Put polyurethane foam inside



2. Cover with plastic and put the motor into the carton



3. Seal the carton with tape



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

**Boom barrier projects**



Exhibition



Certification



**CBG<sup>®</sup> Shenzhen Chengbang Electromechanical Industry Limited**

+8615017905059    mok\_1szeb\_cbg@163.com    automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City