




Waterproof and Weatherproof Automatic Boom Barrier with 0.8-6 Seconds Opening/Closing Time

Our Product Introduction

more products please visit us on automaticbarriersgates.com

Basic Information

- Place of Origin: China
- Brand Name: CBG
- Certification: CE
- Model Number: 21B



Product Specification

- Size: Standard
- Insulation Level: F
- Boom Length: 1 ~ 6 Meters
- Barrier Arm: 3/4/5/6meters
- Opening/Closing Time: 0.8-6 Seconds
- Motor Power: 120W
- Special Features: Waterproof / Weatherproof
- Protection Level: IP54

Product Description

Product Description:

The Electric Boom Lift Boom Barrier Gate is a highly efficient and reliable solution for controlling vehicle access in various settings. With a standard size, this boom barrier is designed to provide seamless operation while ensuring optimal security measures. It boasts a protection level of IP54, offering protection against dust and water ingress, making it suitable for both indoor and outdoor use. Equipped with an insulation level of F, this Electric Boom Lift Boom Barrier Gate is built to withstand high temperatures, ensuring its durability and longevity even in harsh environments. Its special features include being waterproof and weatherproof, allowing it to function effectively in different weather conditions without any compromise in performance. The Electric Boom Lift Boom Barrier Gate is known for its quick and efficient operation, with an opening/closing time ranging from 0.8 to 6 seconds. This rapid response time ensures smooth traffic flow while maintaining security protocols. Whether installed in parking lots, industrial sites, or high-security areas, this boom barrier gate delivers reliable performance at all times. Perfect for use in conjunction with a Highway Sound Barrier, the Electric Boom Lift Boom Barrier Gate complements existing security measures to create a comprehensive access control system. Its sturdy construction and advanced technology make it a preferred choice for managing vehicle entry and exit points with ease.

Features:

Product Name: Boom Barrier
Motor Power: 120W
Special Features: Waterproof / Weatherproof
Insulation Level: F
Size: Standard
Opening/Closing Time: 0.8-6 Seconds

Technical Parameters:

Opening/Closing Time	0.8-6 Seconds
Size	Standard
Barrier Arm	3/4/5/6 meters
Insulation Level	F
Boom Length	1 ~ 6 Meters
Special Features	Waterproof / Weatherproof
Protection Level	IP54
Motor Power	120W

Applications:

One of the key application scenarios for the CBG 21B Boom Barrier is in Highway Sound Barrier installations. The barrier's ability to effectively control vehicle access makes it ideal for managing traffic flow on highways and ensuring safety for all road users. Another important application occasion for this product is in Automatic Boom Barrier systems. With barrier arm options ranging from 3 to 6 meters, the CBG 21B can accommodate various entry and exit points, making it perfect for parking lots, toll booths, and other access control areas. The CBG 21B Electric Boom Lift feature enhances its usability in scenarios where automated operation is required. Whether it's controlling vehicle access in a residential community or securing a commercial facility, this boom barrier offers convenience and efficiency. Thanks to its Special Features such as being Waterproof and Weatherproof, the CBG 21B Boom Barrier is suitable for outdoor applications where exposure to the elements is a concern. Its Insulation Level of F and Protection Level of IP54 ensure reliable performance even in harsh weather conditions. Whether you need a boom barrier with a boom length of 1 meter for a small entry point or 6 meters for a wide access area, the CBG 21B can meet your specific requirements with ease. The versatility and durability of this product make it a top choice for various Product Application Occasions and Scenarios.

Customization:

Customize your Boom Barrier Gate with our Product Customization Services:

- Brand Name: CBG
- Model Number: 21B
- Place of Origin: China
- Certification: CE
- Special Features: Waterproof / Weatherproof
- Barrier Arm Options: 3/4/5/6 meters
- Insulation Level: F
- Boom Length: 1 ~ 6 Meters

- Opening/Closing Time: 0.8-6 Seconds

Enhance your Electric Boom Lift with tailored specifications to meet your requirements for Highway Sound Barrier installations.

Support and Services:

Our Product Technical Support and Services for the Boom Barrier include:

- Installation guidance and support
- Troubleshooting assistance for any technical issues
- Maintenance tips and recommendations
- Training for users on how to operate the boom barrier effectively

Packing and Shipping:

Product Packaging:

The Boom Barrier is carefully packaged in a sturdy cardboard box to ensure safe delivery. Each component is securely wrapped and cushioned to prevent any damage during transportation.

Shipping Information:

Orders for the Boom Barrier are typically shipped within 15 business days. We offer standard and expedited shipping options to accommodate your needs. Once your order is processed, you will receive a tracking number to monitor the delivery status of your package.

FAQ:

Q: What is the brand name of the Boom Barrier product?

A: The brand name of the Boom Barrier product is CBG.

Q: What is the model number of the Boom Barrier?

A: The model number of the Boom Barrier is 21B.

Q: Where is the Boom Barrier product manufactured?

A: The Boom Barrier product is manufactured in China.

Q: Does the Boom Barrier product have any certification?

A: Yes, the Boom Barrier product is CE certified.

Q: Can the Boom Barrier be easily installed?

A: Yes, the Boom Barrier is designed for easy installation.

CBG[®] Shenzhen Chengbang Electromechanical Industry Limited



+8615017905059



mok_1szcb_cbg@163.com



automaticbarriersgates.com

Qiantou Xinxing Industrial Zone, Niushan community, Dongcheng District, Dongguan City